



**ALLIED MACHINE  
& ENGINEERING**

**WOHLHAUPTER®**

Holemaking Solutions for Today's Manufacturing



Drilling



Reaming



Burnishing



Threading



Specials



**Wohlhaupter®**

► **BORING**

Special Boring Solutions

**WOHLHAUPTER®**



SECTION

---

# B10-K

---

Special Boring Solutions

# Wohlhaupter® Special Boring Solutions



## Special Design Tooling

When it comes to special solutions for customers, Wohlhaupter has unique capabilities to effectively design and develop special boring tools. Our special boring tools are designed for specific machines, processes, and materials to help you save time and money.

If you have a particularly unique or difficult application, contact our Application Engineering team.

*email: [engineering.eu@alliedmachine.com](mailto:engineering.eu@alliedmachine.com)*

Your safety and the safety of others is very important. This catalogue contains important safety messages. Always read and follow all safety precautions.



This triangle is a safety hazard symbol. It alerts you to potential safety hazards that can cause tool failure and serious injury.

When you see this symbol in the catalogue, look for a related safety message that may be near this triangle or referred to in the nearby text.

There are safety signal words also used in the catalogue. Safety messages follow these words.

### **WARNING**

**WARNING** (shown above) means that failure to follow the precautions in this message could result in tool failure and serious injury.

**NOTICE** means that failure to follow the precautions in this message could result in damage to the tool or machine but not result in personal injury.

**NOTE** and **IMPORTANT** are also used. These are important that you read and follow but are not safety-related.

Visit [www.alliedmachine.com](http://www.alliedmachine.com) for the most up-to-date information and procedures.

## Applicable Industries



Aerospace



Agriculture



Automotive



Firearms



General  
Machining



Oil & Gas



Renewable  
Energy

# Wohlhaupter® Special Boring Solutions Table of Contents

## Special Tooling Solutions

ES-Bore Fine Boring Lay Down Cartridge . . . . .	2
EK Groover   Lay Down Cartridge . . . . .	3
Anti-Vibration   Multistep Boring Tool . . . . .	4
OD Turning Tool   Padded Line Boring Tool . . . . .	5
3E <sup>TECH+</sup> Special Tools . . . . .	6
DigiBore Special Boring Tools . . . . .	7
Combi-Line Special Boring Tool . . . . .	8

<b>Online Tools</b> . . . . .	9
-------------------------------	---

## ES-Bore Fine Boring Lay Down Cartridge

A

B

C

D

E

F

G

H

I

J

K

L

M

INDEX

DIGITAL ES-BORE WITH ADAPTER PLATE



**NOTE:** ES-Bore digital fine boring cartridges must be used with the new 3E<sup>TECH+</sup> and adapter plate. The ES-Bore cannot be used with 3E<sup>TECH</sup>.

**NOTE:** 3E<sup>TECH+</sup> adjustment accuracy of 0.001 mm on diameter.

ANALOG ES-BORE



### LAY DOWN CARTRIDGES

## ES-BORE

- ▶ Mounts to custom designed boring tools.
- ▶ Available with digital 3E<sup>TECH+</sup> or analog adjustment.
- ▶ Accurate adjustments with easy-to-use settings.
- ▶ Versatility in many different application types over 28.00 (1.102") on diameter.



*GROOVING TOOLS*

**EK GROOVER**

- ▶ Create complex grooves faster and deeper than ever before.
- ▶ Eliminate chatter in hard-to-reach internal forms.
- ▶ The electronically-controlled insert release can be adapted to most machine tools.
- ▶ Single or double grooving in one operation.

*ROUGH BORING TOOLS*

**LAY DOWN CARTRIDGE**

- ▶ Increase the productivity of your roughing tool while protecting your investment.
- ▶ If the tool is ever damaged, simply replace a cartridge and resume making chips.



*SPECIAL BORING TOOLS*  
**ANTI-VIBRATION**

- ▶ Vibration dampening rings.
- ▶ Optimized tool weight.
- ▶ Used to reduce harmonic vibration in deeper boring applications.

*SPECIAL BORING TOOLS*  
**MULTISTEP BORING TOOL**

- ▶ Fine adjustment tool for reverse machining.
- ▶ Combined with multidiameter fine adjustable cartridges for finish machining.





*SPECIAL BORING TOOLS*

**OD TURNING TOOLS**

- ▶ Multistep OD turning.
- ▶ Drastically reduce cycle time.
- ▶ Improve surface finish and feature concentricity.

*SPECIAL BORING TOOLS*

**PADDED TOOLING**

- ▶ Aids in stable part processing.
- ▶ Expands length-to-diameter capabilities.
- ▶ Improves surface finish.
- ▶ Pads are replaceable to extend tool life.



**NOTE:** 3E<sup>TECH+</sup> adjustment accuracy of 0.001 mm on diameter.



**NOTE:** 3E<sup>TECH+</sup> adjustment accuracy of 0.001 mm on diameter.

*3E<sup>TECH+</sup> BORING TOOL*

## MULTISTEP BORING TOOL

- ▶ Easy diameter adjustments with 3E<sup>TECH+</sup>.
- ▶ One digital readout module to use on all steps.

*3E<sup>TECH+</sup> BORING TOOL*

## LINE BORING TOOL

- ▶ One digital readout module used on all steps.
- ▶ Easy diameter adjustment at the machine spindle.

DigiBore Special Boring Tools



**NOTE:** Metric item pictured.  
**NOTE:** Digital adjustment accuracy of 0.002 mm on diameter.



**NOTE:** Metric item pictured.  
**NOTE:** Digital adjustment accuracy of 0.002 mm on diameter.

FINISH BORING TOOLS

**DIGIBORE WITH 249 (248)**

- ▶ Standard DigiBore head, standard 249 (248) head, and special slide for precise two-step bore.
- ▶ MVS connection.

FINISH BORING TOOLS

**DIGIBORE SPECIAL**

- ▶ Standard DigiBore boring head with OD turn and OD chamfer insert holder.
- ▶ MVS connection.

## Combi-Line Special Boring Tool

---

A

B

C

D

E

F

G

H

I

J

K

L

M



*ROUGH, FINISH, and CHAMFER BORING TOOLS*

### **COMBI-LINE**

---

- ▶ Standard Combi-Line tooling with added chamfer cartridge.
- ▶ MVS connection.

INDEX

Online Tools

ToolMD® | Wohlhaupter® Boring Insert Selector

# ToolMD®

www.toolmd.com


**Design Your Own Solutions**

ToolMD is a configurator for Wohlhaupter modular tooling systems that allows customers to virtually build their own solution. This online-based simulator puts the entire Wohlhaupter product line at your fingertips. It provides a digital bank of every individual part that Wohlhaupter manufactures in either inch or metric.

Once you select a component, you will be guided by a series of user-friendly prompts to select the next components until you have built your tooling system. Throughout the process, you can monitor the size of your custom tool and ensure what you're building matches your real-life specifications. Once a complete system is virtually assembled, the program will render the tool in either a 2D or 3D drawing to view on your device.

Designing your tools with ToolMD saves you time and allows you to instantly obtain the right tool for the job.



 Design anytime from anywhere.  
Available online 24/7.

# WOHLHAUPTER® | Boring Insert Selector

www.alliedmachine.com/bis



- Generate the correct boring insert for your application in just six easy steps.



- Choose type, shape, substrate, insert form, nose radius, and workpiece material.
- Order easily by adding the item to your cart.



- Search for your new insert item number by entering your old item number.

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
INDEX

# Guaranteed Test / Demo Application Form

Distributor PO #	
------------------	--

The following must be filled out completely before your test will be considered

**IMPORTANT:** For processing, send purchase order to your Allied Field Sales Engineer (FSE). Please clearly mark the paperwork as "Test Order."

### Distributor Information

Company Name: \_\_\_\_\_  
 Contact: \_\_\_\_\_  
 Account Number: \_\_\_\_\_  
 Phone: \_\_\_\_\_  
 Email: \_\_\_\_\_

### End User Information

Company Name: \_\_\_\_\_  
 Contact: \_\_\_\_\_  
 Industry: \_\_\_\_\_  
 Phone: \_\_\_\_\_  
 Email: \_\_\_\_\_

### Current Process

List all tooling, coatings, substrates, speeds and feeds, tool life, and any problems you are experiencing

\_\_\_\_\_  
 \_\_\_\_\_

### Test Objective

List what would make this a successful test (i.e. penetration rate, finish, tool life, hole size, etc.)

\_\_\_\_\_  
 \_\_\_\_\_

### Application Information

Hole Diameter: _____ in/mm	Tolerance: _____	Material: _____ (4150, A36, cast iron, etc.)
Pre-existing Diameter: _____ in/mm	Depth of Cut: _____ in/mm	Hardness: _____ (BHN, Rc)
Required Finish: _____ RMS	State: _____	(Casting, hot rolled, forging)

### Machine Information

Machine Type: _____ (Lathe, screw machine, machine center, etc.)	Builder: _____ (Haas, Mori Seiki, etc.)	Model #: _____
Shank Required: _____ (CAT50, Morse taper, etc.)		Power: _____ HP/KW
Rigidity: _____	Orientation: _____	Tool Rotating: _____
<input type="checkbox"/> Excellent	<input type="checkbox"/> Vertical	<input type="checkbox"/> Yes
<input type="checkbox"/> Good	<input type="checkbox"/> Horizontal	<input type="checkbox"/> No
<input type="checkbox"/> Poor		Thrust: _____ lbs/N

### Coolant Information

Coolant Delivery: _____ (Through tool, flood)	Coolant Pressure: _____ PSI / bar
Coolant Type: _____ (Air mist, oil, synthetic, water soluble, etc.)	Coolant Volume: _____ GPM / LPM

### Requested Tooling

QTY	Item Number

QTY	Item Number

**engineering.eu@alliedmachine.com**

Allied Machine & Engineering Co. (Europe) Ltd  
 93 Vantage Point, Pensnett Estate,  
 Kingswinford, DY6 7FR, United Kingdom

**+44 (0)1384 400 900**  
**www.alliedmachine.com**



**ALLIED MACHINE & ENGINEERING**



**Wohlhaupter**  
 Holmaking Solutions for Today's Manufacturing



# ALLIED MACHINE & ENGINEERING

## Warranty Information



Allied Machine & Engineering (“Allied Machine”) warrants to original equipment manufacturers, distributors, industrial and commercial users of its products for one year from the original date of sale that each new product manufactured or supplied by Allied Machine shall be free from defects in material and workmanship.

Allied Machine’s sole and exclusive obligation under this warranty is limited to, at its option, without additional charge, replacing or repairing this product or issuing a credit. For this warranty to be applied, the product must be returned freight prepaid to the plant designated by an Allied Machine representative and which, upon inspection, is determined by Allied Machine to be defective in material and workmanship.

Complete information as to operating conditions, machine, setup, and the application of cutting fluid should accompany any product returned for inspection. This warranty shall not apply to any Allied Machine products which have been subjected to misuse, abuse, improper operating conditions, improper machine setup or improper application of cutting fluid or which have been repaired or altered if such repair or alteration, in the judgement of Allied Machine, would adversely affect the performance of the product.

**THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** Allied Machine shall have no liability or responsibility for any claim, whether in contract, tort or otherwise, for any loss or damage arising out of, connected with, or resulting from the manufacture, sale, delivery or use of any product sold hereunder, in excess of the cost of replacement or repair as provided herein.

Allied Machine shall not be liable in contract or in tort (including, without limitation, negligence, strict liability or otherwise) for economic losses of any kind or for any special, incidental, indirect, consequential, punitive or exemplary damages arising in any way out of the performance of, or failure to perform this agreement.

**ALL PRICES, DELIVERIES, DESIGNS, AND MATERIALS ARE SUBJECT TO CHANGE WITHOUT NOTICE.**



Allied Machine & Engineering Co. Europe Ltd. is registered to ISO 9001:2015 by bsi.



Allied Machine & Engineering is registered to ISO 9001:2015 by DQS



Wohlhaupter GmbH is registered to ISO 9001:2015 by GA TECHNIC

## Europe

### **Allied Machine & Engineering Co. (Europe) Ltd.**

93 Vantage Point  
Pensnett Estate  
Kingswinford  
West Midlands  
DY6 7FR England

**Phone:**

+44 (0) 1384.400900

### **Wohlhaupter® GmbH**

Maybachstrasse 4  
Postfach 1264  
72636 Frickenhausen  
Germany

**Phone:**

+49 (0) 7022.408.0

## United States

### **Allied Machine & Engineering**

120 Deeds Drive  
Dover OH 44622  
United States

**Phone:**

+1.330.343.4283

**Toll Free USA and Canada:**

800.321.5537

**Toll Free USA and Canada:**

800.223.5140

### **Allied Machine & Engineering**

485 W Third Street  
Dover OH 44622  
United States

**Phone:**

+1.330.343.4283

**Toll Free USA and Canada:**

800.321.5537

## Asia

### **Wohlhaupter® India Pvt. Ltd.**

B-23, 3rd Floor  
B Block Community Centre  
Janakpuri, New Delhi - 110058  
India

**Phone:**

+91 (0) 11.41827044

Your local Allied Machine representative:

[www.alliedmachine.com](http://www.alliedmachine.com)

Allied Machine & Engineering Co. (Europe) Ltd is registered to **ISO 9001:2015** by bsi.

Allied Machine & Engineering is registered to **ISO 9001:2015** by DQS

Wohlhaupter GmbH is registered to **ISO 9001:2015** by QTA TECHNIC

